

sikkens
WOOD COATINGS

Passion for wood

Sikkens Wood Coatings

Exterior Joinery Coatings Guide

Symphony
Coatings 



Table of Contents

2	Introduction
5	Colour Matching Services
6	Translucent Wood Covering
8	Exterior Wood Types
9	The Sikkens Wood Coatings business
10	Impregnation
13	Sealing
14	Translucent Mid Coat
15	Translucent Cladding/Decking Finishes
16	Translucent Finishes
19	Opaque Primers
20	Opaque Midcoats
21	Opaque Topcoats
24	Maintenance & Care
25	Translucent Coating Maintenance
26	Opaque Coating Maintenance/Care
28	Our Brand Partners
29	Our Markets



Symphony Coatings

Symphony Coatings offer an extensive range of professional wood coatings, paints, and spray shop supplies from the world's leading manufacturers. All of our products are hand-picked and rigorously tested by our experts, who have decades of industry experience. Ensuring you have the right product, no matter the job.

We are the UK's premier supplier of professional coatings, lacquers, and paint for spray shops, all supported by brand leading capital equipment, innovative consumables and full-colour matching. We specialise in providing premium quality products in a cost-effective manner, furnishing you with the best possible solution for your coating needs, and all backed with full technical support. Being an independent distributor, we can offer you a wide choice of quality assured products from the world's best manufacturers without bias or obligation.






Authorized distributor of

sikkens
WOOD COATINGS
An **AkzoNobel** brand

The Sikkens Wood Coatings brand has existed since 1792. Experience and expertise are the foundations of such longevity. They are rightly proud of their tradition, the quality of their products and the continual high-levels of customer satisfaction that has made them the market leader in exterior joinery coatings solutions.

Sikkens are part of AKZO Nobel and are experts in making coatings. It is a company that never sits still; it has been inventing the future for more than two centuries with brands such as Dulux, Cuprinol, Hammerite, Polycel and International Paints. It prides itself on being the most innovative and sustainable paint company in the world.

That is why we are proud of our partnership as the UK's largest Sikkens Wood Coatings distributor.





Colour Matching Services

The SYMSPEED colour matching system enables most opaque and translucent coatings to be manufactured in over 50,000 different colours from RAL K7 Classic, Pantone, NCS and other major manufacturers. If you still cannot find your chosen colour amongst our extensive range, bespoke requirements can be met with the use of the Symphony Coatings' industry leading spectrophotometer cameras.



Translucent Wood Covering

Many customers are looking for something unique, which helps them showcase who they are. Sikkens Wood Coatings offer your customers a wide range of colour collections, giving your customers the tools to express their individuality through their coating design. They are not limited simply by different colours, but can pick from a range of opacities. From bold painted effects, to lighter and more opaque shades, which accentuate the natural grain of the wood, but still offer the vibrancy of colour.

Never Ending Impressions



Modern Shades of Grey



Joinery Colour Classics




Exterior Wood Types

Sikkens coatings are suitable* for many exterior joinery timbers but are specifically suited for the following timbers and treated timbers.



* Please seek professional advice from one of our technical representatives before using Sikkens products





The Sikken's Wood Coatings business

For many years, Sikken's have been supplying exterior wood finishes to embellish and protect doors, windows, floors, façades, cladding and more. Their mission is to make the future better, easier, and more sustainable by providing excellent service, high-quality wood coatings, while continuing to innovate.

Competence, innovation, quality, service, and partnership – these are the values that have made us the leading supplier of coatings for exterior wood and wood-based materials in the UK.

Sikken's combines experience, resources, and expertise to promote environmentally friendly and sustainable systems, such as their waterborne coatings and natural products. They have set targets to significantly reduce VOC emissions using future-oriented technologies.

Colour Expertise and Innovation

Sikken's love helping people express themselves. They do this through their love of colour. It fuels their expertise and guides them when identifying global trends, and has helped them create exciting colour palettes that have the power to express personality, augment culture and transform living spaces and working environments. By using their expertise, they are able to find innovative solutions that meet the unique specifications of our customers, while adhering to rigorous regulations.

Impregnation

Wood has to be protected against the continuous threat of damage from moisture. As in medicine; prevention is better than cure. Sikkens Wood Coatings impregnations offer you the greatest level of protection and will help to improve the 'natural durability' of all softwoods and leaf woods. In the impregnation of individual parts, increased protection against blue stain and fungal rot is achieved, particularly in the corner joint area (tongue-and-groove).



CETOL® WP 567 BDP

Translucent 1K Impregnating primer



Properties

Impregnating and priming in one step, protecting against blue stain and rot fungi

Application

Dipping, Flow coating, Brushing machine

Areas of Use

Stable, semi-stable, non-stable wooden constructions

Approval

EN 599, DIN 68800 part 3, BPD

Colours

Joinery Colour Classics,
Never Ending Impressions

Pack Size

20 Litres





Sealing

Prevent Fibre Saturation with the Correct Sealant

For long-lasting, preventative protection against moisture absorption in V joint areas, elastic sealing and easy to apply WV 472 is recommended after the primer. This ensures the durability of the wooden window for your customer.

Additional Cross-Grain Protection

Wooden windows are only functional as long as they have all-round protection. Structural points are particularly susceptible to attack from the elements. The corner joints of windows are always exposed to great stresses. This is because the forces acting on the wood are working in different directions here, which can rapidly lead to open joints. An open joint is an invitation for moisture to penetrate the wood. The result: the wood will swell, fungi can intrude. Further consequential damage is possible and sealant products like WV 456 will help to prevent this.

KODRIN WV 472

Semi Translucent 1K Sealant



Properties

Partially filling the V-joints, elastic

Application

Squeezed

Areas of Use

For V-joints in the parapet areas of wooden elements

Approval

Colours

Semi translucent

Pack Size

320 ml cartridge

KODRIN WV 456

Translucent 1K Sealant



Properties

Quick drying, elastic, easy to apply

Application

Brush application, Spatula application

Areas of Use

Sealing of end-grains areas

Approval

Komo

Colours

Colourless

Pack Size

750ml





Translucent Mid Coat

Hard woods with large open pores, like oak, are often not sufficiently coated using conventional two product systems. Using a mid coat like CETOL® WM 6900-03 will ensure sufficient pore filling, film build and seal critical zones and weak spots prone to weathering.

CETOL® WM 6900-03 *

Waterborne, isolating, highly transparent midcoat for wooden constructions, exterior and interior



Properties

Good pore wetting, High transparency, Isolating properties

Application

Spray application Airmix/Airless

Areas of Use

Stable, semi-stable wooden constructions

Approval

Colours

Colourless

Pack Size

20 Litres

* Also available as a Dipping/Flow Coating version in CETOL® WM 6900-02

Translucent Cladding/Decking Finishes

Sikkens CETOL® WF 771 is a brushable, low build, natural look, low sheen, translucent, waterborne acrylic primer-finish for dimensionally stable wooden components, such as wooden decking and log cabins. Sikkens CETOL® WF 9810-46-25 can be used where a low build, Satin look is desired.



CETOL® WF 771

Translucent Matt 1K Primer, mid- and topcoat



Properties

1-pot-3-layer-system, good UV protection, high water vapour permeability

Application

Brush application, Dipping, Flow coating, Brushing machine, Vacuum coater

Areas of Use

- Decking
- Façade Cladding
- Balustrades
- Greenhouses
- Garden Furniture
- Fences
- Grating
- Trellises

Approval

Colours

- Joinery Colour Classics
- Never Ending Impressions

Pack Size

- 2.5 Litres
- 10 Litre



CETOL® WF 9810-46-25

Translucent Semi matt 1K Primer, mid- and topcoat



Properties

Suitable for brush and vacuum application, Self-sealer, Excellent transparency, Good flow, Excellent levelling, Excellent durability

Application

Brush application/Vacuum coater

Areas of Use

- Decking
- Façade Cladding
- Balustrades
- Greenhouses
- Garden Furniture
- Fences
- Grating
- Trellises

Approval

Colours

- Joinery Colour Classics
- Never Ending Impressions

Pack Size

- 2.5 Litres
- 10 Litre



Translucent Finishes

The translucent CETOL® topcoats keep the fresh, natural appearance of the wood, showcasing its attractive qualities, like the grain, without compromising surface protection. Improved varnish film properties make the coating less sensitive to mechanical stresses.

CETOL® WF 960

Translucent Semi-Matt 1K Mid-
and topcoat



Properties

Excellent durability, good levelling,
good weather resistance.

Application

Spray application Airmix/Airless

Areas of Use

Stable, semi-stable wooden
constructions

Approval

EN 71-3, EN 927-2
KOMO

Colours

Joinery Colour Classics
Never Ending Impressions

Pack Size

5 Litres
20 Litres





Convince your customers with transparent, even surfaces – in different gloss grades* and colour shades.

CETOL® WF 965

**Translucent Semi-Gloss 1K Mid-
and topcoat**



Properties

Excellent durability, good levelling,
good weather resistance

Application

Spray application Airmix/Airless

Areas of Use

Stable, semi-stable wooden
constructions

Approval

EN 71-3, EN 927-2
KOMO

Colours

Joinery Colour Classics
Never Ending Impressions

Pack Size

5 Litres
20 Litres

* Also available as a matt version in CETOL® WF 945



Opaque Primers

Primers connect the coating to the wood's surface, ensuring the desired finish is attained. Their composition is decisive, and influences key characteristics of the coating system, such as bonding.

The development of primer requires particular diligence with respect to the selection of raw materials, testing and system compatibility. To aid in this, we use technology based on modern bonding dispersions in water-thinnable products. The result is characterised by a high-penetration capability with deep, permanent anchorage in the woods cell structure.

RUBBOL® WP 1900-02

Opaque 1K primer and mid coat



Properties

Good run-off properties, wood moisture regulating, good pore wetting, high filling properties, good Isolating properties

Application

Dipping
Flow Coating

Areas of Use

All wooden construction

Approval

Colours

White

Pack Size

20 Litres

RUBBOL® WP 198

Opaque 1K primer



Properties

Waterborne, white sprayable primer and mid coat for wooden constructions made of pine and hardwood with isolating properties against discolouration of wood extractives, exterior and interior. High filling properties, low-odour, good sanding properties

Application

Spray application Airmix/Airless

Areas of Use

Stable, semi-stable wooden constructions

Approval

Colours

White

Pack Size

20 Litres

Opaque Midcoats

In woods rich in tannin ingredients (except for larch), RUBBOL® WM 2980-03 offers good protection against discolouration's in combination with an isolating primer.

RUBBOL® WM 2980-03

Opaque primer and mid coat with high water tightness for wooden constructions made of hardwood and pine wood



Properties

Good pore wetting, high filling properties, isolating properties.

Application

Spraying

Areas of Use

Stable, semi stable wooden constructions

Approval

Colours

Crème White

Pack Size

20 Litres



Opaque Topcoats

The opaque coatings of the RUBBOL® product family give wooden windows and doors a significantly greater durability because opaque coatings are especially robust.

RUBBOL® WF 3311-03-25

Opaque Semi Matt 1K Mid- and Topcoat



Properties

Thixotropic version of WF 3310, good hiding power, good levelling, good weather resistance

Application

Spray application Airmix/Airless

Areas of Use

Stable, semi stable wooden constructions

Approval

EN 71-3 , EN 927-2

Colours

RAL 9010
5051 COLOUR CONCEPT
RAL CLASSIC
NCS
OTHER MANUFACTURERS

Pack Size

5 Litres
20 Litre

Opaque Topcoats

RUBBOL® WF 3311-03-35

Opaque Semi-Gloss 1K Mid- and Topcoat



Properties

Thixotropic version of WF 3310, good hiding power, good levelling, good weather resistance

Application

Spray application Airmix/Airless

Areas of Use

Stable, semi stable wooden constructions

Approval

EN 71-3 , EN 927-2

Colours

RAL 9010
5051 COLOUR CONCEPT
RAL CLASSIC
NCS
OTHER MANUFACTURERS

Pack Size

5 Litres
20 Litre

RUBBOL® WF 375

Opaque Gloss 1K Mid- and Topcoat



Properties

High filling, good levelling, good weather resistance

Application

Spray application Airmix/Airless

Areas of Use

Stable, semi stable wooden constructions

Approval

EN 71-3 , KOMO

Colours

RAL 9010
5051 COLOUR CONCEPT
RAL CLASSIC
NCS
OTHER MANUFACTURERS

Pack Size

5 Litres
20 Litre





Maintenance

Professional installation, regular cleaning and maintenance are essential for your customers to enjoy long-term satisfaction from their windows and doors. These simple steps will extend the life of the finish and allow for longer intervals between renovations.

The coating of your wooden windows should be maintained at regular intervals. Depending on the installation process that has been undertaken, we recommend a maintenance coat for opaque coatings after 4 to 5 years and translucent coatings after 2 to 3 years. You can use eco-friendly, waterborne Sikkens Wood Coatings products for maintenance purposes.

Care

Wooden windows are high-quality products that will enhance your home aesthetically, generate a cosy atmosphere, and increase your sense of well-being. To preserve this for as long as possible, the wood itself should also be cared for with products from the wellness programme.

Cleaning and maintenance with the famous Sikkens Wood Coatings care set (made up of a special cleaner and maintenance milk for windows) is essential for preserving value. Be it translucent or opaque – special cleaners and maintenance milk not only protect but also freshen up the colours. The windows of your customers will gleam with renewed brilliance. The maintenance milk should be applied once a year in order to extend maintenance intervals and overall service life.

Translucent Coating Maintenance

CETOL® WP 511

Translucent 1K Primer



Properties

Easy to apply, good penetration properties

Application

Brush application

Areas of Use

Stable, semi-stable wooden constructions

Colours

Joinery Colour Classics, Never Ending Impressions

Pack Size

1 Litres

CETOL® WF 9810-04-15

Translucent Matt 1K Mid- and topcoat



Properties

High build coating for the repair of the coating of windows and doors, exterior and interior, good weather resistance, good UV protection.

Application

Brush application

Areas of Use

Stable wooden constructions

Colours

Joinery Colour Classics
Never Ending Impressions

Pack Size

1 Litres

CETOL® WF 9810-04-25

Translucent Semi-Matt 1K Mid- and topcoat



Properties

High build coating for the repair of the coating of windows and doors, exterior and interior, good weather resistance, good UV protection.

Application

Brush application

Areas of Use

Stable wooden constructions

Colours

Joinery Colour Classics
Never Ending Impressions

Pack Size

1 Litres

CETOL® WF 9810-04-45

Translucent Semi-Gloss 1K Mid- and topcoat



Properties

High build coating for the repair of the coating of windows and doors, exterior and interior, good weather resistance, good UV protection.

Application

Brush application

Areas of Use

Stable wooden constructions

Colours

Joinery Colour Classics
Never Ending Impressions

Pack Size

1 Litres

Opaque Coating Maintenance/Care

RUBBOL® WP 105

Opaque 1K Primer



Properties

Easy to apply, good hiding power, quick drying

Application

Brush application

Areas of Use

Stable, semi-stable wooden constructions

Colours

White

Pack Size

1 Litres

RUBBOL® WF 3310-04-25

Opaque Semi Matt 1K Mid- and Topcoat



Properties

Good hiding power, good levelling, good weather resistance

Application

Brush application

Areas of Use

Areas of Use: Stable, semi-stable wooden constructions

Colours

RAL 9010, 5051 Colour Concept, RAL Classic, NCS, All manufacturers

Pack Size

1 Litres

RUBBOL® WF 3310-04-35

Opaque Semi-Gloss 1K Mid- and Topcoat



Properties

Good hiding power, good levelling, good weather resistance

Application

Brush application

Areas of Use

Stable, semi-stable wooden constructions

Colours

RAL 9010, 5051 Colour Concept, RAL Classic, NCS, All manufacturers

Pack Size

1 Litres

WV 804 (Gloss)

Maintenance kit for windows and doors



Properties

Refreshes the coating and makes the window weatherproof again, regular use extends the renovation intervals

Application

Manual

Areas of Use

Stable wooden constructions

Colours

Clear

Content

Special cleaner (250 ml) / maintenance milk gloss (250 ml) / sponge / manual (leaflet)



Our Brand Partners

At Symphony we only deal with the industry's leading manufacturers who will enable you to create the perfect finish for your exterior joinery project.





Our Markets

We work with a range of different industries including joinery companies, furniture makers, kitchen & cabinetry, flooring, shop fitters, metal and construction.

For help and advice on other areas we supply coatings for, please contact your technical representative for further details on markets and brands we deal with. Rest assured we only trade with the world's leading manufacturers, all of which have been independently tested and approved by our experts who have decades of industry experience.





Your Regional Branches

Symphony Coatings North East

Tel: 0191 258 4564
northeast@symphonycoatings.co.uk

Symphony Coatings North West

Tel: 0161 272 1144
northwest@symphonycoatings.co.uk

Symphony Coatings East Midlands

Tel: 01623 441140
eastmidlands@symphonycoatings.co.uk

Symphony Coatings West Midlands

Tel: 0121 693 4020
westmidlands@symphonycoatings.co.uk

Symphony Coatings Anglia

Tel: 01842 761468
thetford@symphonycoatings.co.uk

Symphony Coatings South

Tel: 01296 334434
south@symphonycoatings.co.uk

Symphony Coatings East

Tel: 01206 868400
east@symphonycoatings.co.uk

Symphony Coatings Park Royal

Tel: 0208 965 3844
parkroyal@symphonycoatings.co.uk

Symphony Coatings South East

Tel: 0208 645 8130
southeast@symphonycoatings.co.uk

Delivering Surface Excellence

 www.symphonycoatings.co.uk

 info@symphonycoatings.co.uk